

CARBIDE DIVISION



Missouri Precision Tools Inc.
Specialty Cutting and Drilling Tools for Construction

1-866- 94-TOOLS (866-948-6657)

5541 Telegraph Rd, Suite 201
Saint Louis, MO 63129 FAX 314-487-2868

SDS+ SHANK HAMMER BITS



SINGLE CUTTER

POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)	BULK QTY	WT. (lbs)
5/32"	4 1/2"	2 1/2"	207-1-4†	\$ 12.00	0.1	25	2.5
5/32"	6"	4"	207-1-6†	12.50	0.1	25	2.5
5/32"	8"	6"	207-1-8	13.00	0.1	25	2.5
3/16"	4 1/2"	2 1/2"	207-3-4†	6.00	0.1	25	2.5
3/16"	6"	4"	207-3-6†	7.00	0.1	25	2.5
3/16"	8"	6"	207-3-8†	9.00	0.1	25	2.5
3/16"	10"	8"	207-3-10†	18.00	0.2	25	5
3/16"	14"	12"	207-3-14*	25.00	0.2	25	-
7/32"	6"	4"	207-2-6†	9.00	0.1	25	2.5
7/32"	10"	8"	207-2-10†	19.00	0.3	25	7.5
7/32"	16"	14"	207-2-16*	27.00	0.5	25	-
1/4"	4"	2"	207-4-4†	6.00	0.1	25	2.5
1/4"	6"	4"	207-4-6†	7.00	0.1	25	2.5
1/4"	8"	6"	207-4-8†	9.00	0.2	25	5
1/4"	10"	8"	207-4-10	15.00	0.3	25	7.5
1/4"	14"	12"	207-4-14*	20.00	0.3	25	-
1/4"	20"	18"	207-4-20*	23.00	0.4	25	-
9/32"	8"	6"	207-4.5-8†	16.00	0.3	25	7.5
5/16"	6"	4"	207-5-6†	10.00	0.2	25	5
5/16"	10"	8"	207-5-10†	17.00	0.3	25	7.5
5/16"	14"	12"	207-5-14*	20.00	0.3	25	-
3/8"	6"	4"	207-6-6†	9.00	0.2	25	5
3/8"	10"	8"	207-6-10†	17.00	0.3	25	7.5
3/8"	14"	12"	207-6-14*	21.00	0.4	25	-
3/8"	18"	16"	207-6-18*	31.00	0.5	25	-
3/8"	25"	22"	207-6-25*	46.00	0.7	25	-
3/8"	38"	36"	207-6-38*	225.00	1.0	25	-
7/16"	6"	4"	207-7-6†	17.00	0.3	25	7.5
7/16"	12"	10"	207-7-12*	21.00	0.5	25	-
1/2"	6"	4"	207-8-6†	11.00	0.3	25	7.5
1/2"	10"	8"	207-8-10†	23.00	0.4	25	10
1/2"	14"	12"	207-8-14*	28.00	0.6	25	-
1/2"	18"	16"	207-8-18*	36.00	0.8	25	-
1/2"	25"	22"	207-8-25*	47.00	0.9	25	-
1/2"	38"	36"	207-8-38*	241.00	1.3	25	-
9/16"	6"	4"	207-9-6†	20.00	0.3	25	7.5
9/16"	12"	10"	207-9-12*	29.00	0.6	25	-
9/16"	18"	16"	207-9-18*	42.00	0.8	25	-
9/16"	25"	22"	207-9-25*	51.00	1.0	25	-
5/8"	8"	6"	207-10-8†	20.00	0.5	25	12.5
5/8"	14"	12"	207-10-14*	38.00	0.8	25	-
5/8"	18"	16"	207-10-18*	51.00	0.9	25	-
11/16"	10"	8"	207-11-10*	45.00	0.6	25	-
3/4"	8"	6"	207-12-8†	35.00	0.6	25	15
3/4"	14"	12"	207-12-14*	45.00	1.0	25	-
3/4"	18"	16"	207-12-18*	58.00	1.3	25	-
27/32"	8"	6"	207-13A-8*	58.00	0.8	25	-
7/8"	8"	6"	207-14-8*	56.00	0.8	25	-
7/8"	14"	12"	207-14-14*	63.00	1.4	25	-
7/8"	18"	16"	207-14-18*	71.00	1.7	25	-
1"	8"	6"	207-16-8*	58.00	1.0	25	-
1"	18"	16"	207-16-18*	78.00	2.3	25	-
1 1/8"	8"	6"	207-18-8*	63.00	1.3	25	-
1 1/8"	18"	16"	207-18-18*	79.00	3.0	25	-

† Hang up tabs available on request.

MULTIPLE CUTTER

PYRAMID POINT®



- Patented, new technology tip
- 5 Premium-grade carbide inserts
- Faster smoother drilling and longer lasting
- Precise hole location, easy start center point
- Heat-treated, shot-peened, superior steel
- Ultra efficient dust removal flute design
- Available up to 60" drilling depth
- 38" bits have 12" flute length and undercut body

POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)
5/8"	8"	6"	P207-10-8	\$ 30.00	0.5
5/8"	14"	12"	P207-10-14	48.00	0.7
5/8"	18"	16"	P207-10-18	61.00	0.8
5/8"	25"	22"	P207-10-25	72.00	1.1
5/8"	38"	36"	P207-10-38	247.00	2.0
11/16"	25"	22"	P207-11-25	83.00	1.3
3/4"	8"	6"	P207-12-8	45.00	0.6
3/4"	14"	12"	P207-12-14	55.00	1.0
3/4"	18"	16"	P207-12-18	68.00	1.2
3/4"	25"	22"	P207-12-25	115.00	1.7
3/4"	38"	36"	P207-12-38	258.00	2.2
7/8"	8"	6"	P207-14-8	66.00	0.7
7/8"	14"	12"	P207-14-14	73.00	1.3
7/8"	18"	16"	P207-14-18	81.00	1.8
7/8"	38"	36"	P207-14-38	302.00	2.8
1"	8"	6"	P207-16-8	68.00	1.0
1"	18"	16"	P207-16-18	88.00	2.0
1"	25"	22"	P207-16-25	131.00	3.0
1"	38"	36"	P207-16-38	365.00	3.6
1 1/8"	8"	6"	P207-18-8	73.00	1.1
1 1/8"	18"	16"	P207-18-18	89.00	2.0

SDS+ 5-PIECE DRILL SET



Refillable Case

Contains: 3/16" x 6"
1/4" x 6"
5/16" x 6"
3/8" x 6"
1/2" x 6"

SDS+

PART NO.	LIST PRICE	WT. (lbs)
207-K5	\$47.00	0.8

* Bulk quantities not available from immediate stock may be special-ordered.

To order bulk, use prefix "B" before part number.
Example: **B207-8-6**

SDS+ SHANK HAMMER BITS

Groo-V® Tip SDS+



Serrated-tip bits for extra hard materials

POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)	BULK QTY	WT. (lbs)
5/32"	4 1/2"	2 1/2"	S207-1-4	\$ 13.50	0.1		2.5
5/32"	6"	4"	S207-1-6	14.00	0.1		2.5
5/32"	8"	6"	S207-1-8	15.00	0.1		2.5
3/16"	4 1/2"	2 1/2"	S207-3-4	8.00	0.1		2.5
3/16"	6"	4"	S207-3-6	9.00	0.1		2.5
3/16"	8"	6"	S207-3-8	11.00	0.1		2.5
3/16"	10"	8"	S207-3-10	20.00	0.2		5
3/16"	14"	12"	S207-3-14*	27.00	0.2		-
7/32"	6"	4"	S207-2-6	11.00	0.1		2.5
7/32"	10"	8"	S207-2-10	21.00	0.3		7.5
7/32"	16"	14"	S207-2-16*	29.00	0.5		-
1/4"	4"	2"	S207-4-4	8.00	0.1		2.5
1/4"	6"	4"	S207-4-6	9.00	0.1		2.5
1/4"	8"	6"	S207-4-8	11.00	0.2		5
1/4"	10"	8"	S207-4-10	17.00	0.3		7.5
1/4"	14"	12"	S207-4-14*	22.00	0.3	25	-
1/4"	20"	18"	S207-4-20*	25.00	0.4		-
5/16"	6"	4"	S207-5-6	12.00	0.2	P	5
5/16"	10"	8"	S207-5-10	19.00	0.3	E	7.5
5/16"	14"	12"	S207-5-14*	23.00	0.3	R	-
3/8"	6"	4"	S207-6-6	11.00	0.2		5
3/8"	10"	8"	S207-6-10	19.00	0.3		7.5
3/8"	14"	12"	S207-6-14*	24.00	0.4	S	-
3/8"	18"	16"	S207-6-18*	33.00	0.5	I	-
3/8"	25"	22"	S207-6-25*	48.00	0.7	Z	-
7/16"	6"	4"	S207-7-6	19.00	0.3	E	7.5
7/16"	12"	10"	S207-7-12*	24.00	0.5		-
1/2"	6"	4"	S207-8-6	13.00	0.3		7.5
1/2"	10"	8"	S207-8-10	25.00	0.4		10
1/2"	14"	12"	S207-8-14*	30.00	0.6		-
1/2"	18"	16"	S207-8-18*	38.00	0.8		-
1/2"	25"	22"	S207-8-25*	49.00	0.9		-
9/16"	6"	4"	S207-9-6	23.00	0.3		7.5
9/16"	12"	10"	S207-9-12*	31.00	0.6		-
9/16"	18"	16"	S207-9-18*	45.00	0.8		-
9/16"	25"	22"	S207-9-25*	53.00	1.0		-
5/8"	8"	6"	S207-10-8	23.00	0.5		12.5
5/8"	14"	12"	S207-10-14*	40.00	0.8		-
5/8"	18"	16"	S207-10-18*	53.00	0.9		-
11/16"	10"	8"	S207-11-10*	47.00	0.6		-
3/4"	8"	6"	S207-12-8	37.00	0.6		15
3/4"	14"	12"	S207-12-14*	47.00	1.0		-
3/4"	18"	16"	S207-12-18*	60.00	1.3		-
27/32"	8"	6"	S207-13A-8*	60.00	0.8		-
7/8"	8"	6"	S207-14-8*	58.00	0.8		-
7/8"	14"	12"	S207-14-14*	66.00	1.4		-
7/8"	18"	16"	S207-14-18*	73.00	1.7		-
1"	8"	6"	S207-16-8*	60.00	1.0		-
1"	18"	16"	S207-16-18*	80.00	2.3		-
1 1/8"	8"	6"	S207-18-8*	66.00	1.3		-
1 1/8"	18"	16"	S207-18-18*	81.00	3.0		-

QUIK-LOK™ ADAPTORS



Quik-Lok™ Adaptors accept SDS+ Shank Bits



SDS-max SHANK

PART NO.	DESCRIPTION	LIST PRICE	WT.(lbs)
QL-MX	SDS-max to SDS+	\$ 95.00	1.4



SPLINE SHANK

PART NO.	DESCRIPTION	LIST PRICE	WT. (lbs)
QL-202	Spline Drive to SDS+	\$ 90.00	1.4



TRI-FLAT SHANK

Ramset 340, 342, 345, 375, 640

PART NO.	DESCRIPTION	LIST PRICE	WT. (lbs)
QL-64	Tri-flat to SDS+	\$ 104.00	1.4



7/16" X 1-5/8" HEX SHANK

Milwaukee 5300-05-15 Skil 726

PART NO.	DESCRIPTION	LIST PRICE	WT. (lbs)
QL-726	7/16" Hex to SDS+	\$ 104.00	1.2



9/16" X 2-3/8" HEX SHANK

B & D 5048 Milwaukee 5325-26 Porter Cable 1602
Miller Falls SP499K Rockwell 602 Skil 628, 728, 731, 732, 1760

PART NO.	DESCRIPTION	LIST PRICE	WT. (lbs)
QL-728	9/16" Hex to SDS+	\$ 104.00	1.2



9/16" X 1-1/4" HEX SHANK

Bosch 11201 Metabo RH90 Philips 747, 700

PART NO.	DESCRIPTION	LIST PRICE	WT. (lbs)
QL-201	9/16" Hex to SDS+	\$ 104.00	1.3

Additional Shank-types available on request.
Replacement parts are available on request.

SDS+ 5-PIECE DRILL SET



Refillable Case

Contains: 3/16" x 6"
1/4" x 6"
5/16" x 6"
3/8" x 6"
1/2" x 6"

Serrated SDS+

PART NO.	LIST PRICE	WT. (lbs)
S207-K5	\$57.00	0.8

*Bulk quantities not available from immediate stock... may be special-ordered.
To order bulk, use prefix "B" before part number.
Example: B207-8-6

HAMMER BITS – SDS-max® SHANK



SINGLE CUTTER

POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)	BULK QTY	WT (lbs)
3/8"	10"	4"	MX-6-10	\$ 51.00	0.8		8
3/8"	14"	8"	MX-6-14	52.00	0.8		8
3/8"	18"	12"	MX-6-18	58.00	0.9		9
7/16"	14"	8"	MX-7-14	52.00	0.8		8
1/2"	14"	8"	MX-8-14	52.00	0.9		9
1/2"	18"	12"	MX-8-18	58.00	1.1		11
1/2"	22"	16"	MX-8-22	73.00	1.2		12
1/2"	28"	22"	MX-8-28*	79.00	1.4		-
1/2"	42"	36"	MX-8-42*	160.00	1.7		-
1/2"	54"	48"	MX-8-54*	267.00	2.2		-
1/2"	66"	60"	MX-8-66*	288.00	2.7		-
9/16"	14"	8"	MX-9-14*	57.00	1.0		-
9/16"	18"	12"	MX-9-18*	65.00	1.1		-
9/16"	22"	16"	MX-9-22*	77.00	1.3	10	-
9/16"	28"	22"	MX-9-28*	95.00	1.5		-
5/8"	14"	8"	MX-10-14	57.00	1.1	P	11
5/8"	18"	12"	MX-10-18	66.00	1.3	E	13
5/8"	22"	16"	MX-10-22	83.00	1.4	R	14
5/8"	28"	22"	MX-10-28*	98.00	1.6		-
11/16"	14"	8"	MX-11-14	59.00	1.1	S	11
11/16"	22"	16"	MX-11-22	86.00	1.6	I	16
3/4"	14"	8"	MX-12-14	62.00	1.2	Z	12
3/4"	18"	12"	MX-12-18	74.00	1.5	E	15
3/4"	22"	16"	MX-12-22	86.00	1.7		17
3/4"	28"	22"	MX-12-28*	118.00	2.0		-
13/16"	14"	8"	MX-13-14*	95.00	1.3		-
13/16"	22"	16"	MX-13-22*	112.00	1.9		-
27/32"	14"	8"	MX-13A-14*	95.00	1.3		-
27/32"	22"	16"	MX-13A-22*	112.00	1.9		-
7/8"	14"	8"	MX-14-14	65.00	1.4		14
7/8"	18"	12"	MX-14-18	79.00	1.8		18
7/8"	22"	16"	MX-14-22	93.00	2.1		21
7/8"	28"	22"	MX-14-28*	117.00	2.6		-
1"	14"	8"	MX-16-14	72.00	1.7		17
1"	18"	12"	MX-16-18	86.00	2.2		22
1"	22"	16"	MX-16-22	107.00	2.6		26
1"	28"	22"	MX-16-28*	120.00	3.1		-
1 1/8"	14"	8"	MX-18-14*	89.00	1.9		-
1 1/8"	22"	16"	MX-18-22*	110.00	3.1		-
1 1/8"	28"	22"	MX-18-28*	154.00	3.9		-
1 1/4"	14"	8"	MX-20-14*	103.00	2.3		-
1 1/4"	22"	16"	MX-20-22*	126.00	3.6		-
1 1/4"	28"	22"	MX-20-28*	177.00	4.3		-
1 3/8"	22"	16"	MX-22-22*	147.00	4.1		-
1 1/2"	14"	8"	MX-24-14*	122.00	2.9		-
1 1/2"	22"	16"	MX-24-22*	173.00	4.8		-
1 1/2"	28"	22"	MX-24-28*	265.00	6.2		-



MULTIPLE CUTTER

PYRAMID POINT®



- Patented, new technology tip
- 5 Premium-grade carbide inserts
- Faster smoother drilling and longer lasting
- Precise hole location, easy start center point
- Heat-treated, shot-peened, superior steel
- Ultra efficient dust removal flute design
- Available in longer lengths; call factory for a quote
- 42", 54", & 66" bits have 31" flute length and undercut body

POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)
5/8"	14"	8"	PMX-10-14	\$ 60.00	1.1
5/8"	18"	12"	PMX-10-18	70.00	1.3
5/8"	22"	16"	PMX-10-22	88.00	1.4
5/8"	42"	36"	PMX-10-42	174.00	2.8
5/8"	54"	48"	PMX-10-54	357.00	2.8
5/8"	66"	60"	PMX-10-66	372.00	3.4
3/4"	14"	8"	PMX-12-14	66.00	1.2
3/4"	18"	12"	PMX-12-18	78.00	1.5
3/4"	22"	16"	PMX-12-22	91.00	1.7
3/4"	42"	36"	PMX-12-42	186.00	2.9
3/4"	54"	48"	PMX-12-54	371.00	3.5
3/4"	66"	60"	PMX-12-66	385.00	4.5
7/8"	14"	8"	PMX-14-14	69.00	1.4
7/8"	18"	12"	PMX-14-18	83.00	1.8
7/8"	22"	16"	PMX-14-22	98.00	2.1
7/8"	42"	36"	PMX-14-42	212.00	3.7
7/8"	54"	48"	PMX-14-54	402.00	4.6
7/8"	66"	60"	PMX-14-66	417.00	5.6
1"	14"	8"	PMX-16-14	76.00	1.7
1"	18"	12"	PMX-16-18	91.00	2.2
1"	22"	16"	PMX-16-22	113.00	2.6
1"	42"	36"	PMX-16-42	248.00	4.6
1"	54"	48"	PMX-16-54	451.00	5.8
1"	66"	60"	PMX-16-66	466.00	6.7
1 1/8"	14"	8"	PMX-18-14	94.00	1.9
1 1/8"	22"	16"	PMX-18-22	116.00	3.1
1 1/8"	42"	36"	PMX-18-42	323.00	5.4
1 1/8"	54"	48"	PMX-18-54	547.00	6.6
1 1/8"	66"	60"	PMX-18-66	560.00	8.0
1 1/4"	14"	8"	PMX-20-14	109.00	2.3
1 1/4"	22"	16"	PMX-20-22	133.00	3.6
1 1/4"	42"	36"	PMX-20-42	335.00	6.4
1 1/4"	54"	48"	PMX-20-54	562.00	8.1
1 1/4"	66"	60"	PMX-20-66	575.00	9.8
1 3/8"	22"	16"	PMX-22-22	155.00	4.1
1 3/8"	42"	36"	PMX-22-42	403.00	7.6
1 3/8"	54"	48"	PMX-22-54	650.00	9.2
1 3/8"	66"	60"	PMX-22-66	664.00	11.1
1 1/2"	14"	8"	PMX-24-14	129.00	2.9
1 1/2"	22"	16"	PMX-24-22	182.00	4.8
1 1/2"	42"	36"	PMX-24-42	433.00	8.9
1 1/2"	54"	48"	PMX-24-54	688.00	10.8
1 1/2"	66"	60"	PMX-24-66	702.00	13.1

* Bulk quantities not available from immediate stock... may be special-ordered.
To order bulk, use prefix "B" before part number. Example: **BMX-8-14**

HAMMER BITS – SPLINE SHANK



SINGLE CUTTER

POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)	BULK	
						QTY	WT. (lbs)
3/8"	10"	4"	202-6-10	\$ 45.00	0.8		8
3/8"	14"	8"	202-6-14	46.00	0.8		8
3/8"	18"	12"	202-6-18	52.00	0.9		9
7/16"	14"	8"	202-7-14	46.00	0.8		8
1/2"	14"	8"	202-8-14	46.00	1.0		10
1/2"	18"	12"	202-8-18	52.00	1.1		11
1/2"	22"	16"	202-8-22	65.00	1.2		12
1/2"	28"	22"	202-8-28*	79.00	1.4		-
1/2"	42"	36"	202-8-42*	142.00	1.9		-
1/2"	54"	48"	202-8-54*	257.00	2.2		-
1/2"	66"	60"	202-8-66*	278.00	2.7		-
9/16"	14"	8"	202-9-14*	51.00	1.0		-
9/16"	18"	12"	202-9-18*	57.00	1.1		-
9/16"	22"	16"	202-9-22*	69.00	1.3	10	-
9/16"	28"	22"	202-9-28*	84.00	1.5		-
5/8"	14"	8"	202-10-14	51.00	1.1	P	11
5/8"	18"	12"	202-10-18	58.00	1.3	E	13
5/8"	22"	16"	202-10-22	74.00	1.4	R	1.4
5/8"	28"	22"	202-10-28*	88.00	1.6		-
11/16"	14"	8"	202-11-14	53.00	1.1	S	11
11/16"	22"	16"	202-11-22	76.00	1.6	I	16
3/4"	14"	8"	202-12-14	55.00	1.2	Z	12
3/4"	18"	12"	202-12-18	66.00	1.5	E	15
3/4"	22"	16"	202-12-22	76.00	1.8		18
3/4"	28"	22"	202-12-28*	105.00	2.0		-
13/16"	14"	8"	202-13-14*	84.00	1.3		-
13/16"	22"	16"	202-13-22*	99.00	1.9		-
27/32"	14"	8"	202-13A-14*	84.00	1.3		-
27/32"	22"	16"	202-13A-22*	99.00	1.9		-
7/8"	14"	8"	202-14-14	57.00	1.4		14
7/8"	18"	12"	202-14-18	71.00	1.8		18
7/8"	22"	16"	202-14-22	82.00	2.1		21
7/8"	28"	22"	202-14-28*	104.00	2.6		-
1"	14"	8"	202-16-14	63.00	1.7		17
1"	18"	12"	202-16-18	76.00	2.2		22
1"	22"	16"	202-16-22	95.00	2.6		26
1"	28"	22"	202-16-28*	107.00	3.1		-
1 1/8"	14"	8"	202-18-14*	79.00	1.9		-
1 1/8"	22"	16"	202-18-22*	97.00	3.1		-
1 1/8"	28"	22"	202-18-28*	137.00	3.9		-
1 1/4"	14"	8"	202-20-14*	92.00	2.3		-
1 1/4"	22"	16"	202-20-22*	113.00	3.6		-
1 1/4"	28"	22"	202-20-28*	158.00	4.3		-
1 3/8"	22"	16"	202-22-22*	132.00	4.1		-
1 1/2"	14"	8"	202-24-14*	109.00	2.9		-
1 1/2"	22"	16"	202-24-22*	154.00	4.8		-
1 1/2"	28"	22"	202-24-28*	237.00	6.2		-



MULTIPLE CUTTER

PYRAMID POINT®



- Patented, new technology tip
- 5 Premium-grade carbide inserts
- Faster smoother drilling and longer lasting
- Precise hole location, easy start center point
- Heat-treated, shot-peened, superior steel
- Ultra efficient dust removal flute design
- Available in longer lengths; call factory for a quote
- 42", 54", & 66" bits have 31" flute length and undercut body

















POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)
5/8"	14"	8"	P202-10-14	\$ 58.00	1.1
5/8"	18"	12"	P202-10-18	67.00	1.3
5/8"	22"	16"	P202-10-22	84.00	1.4
5/8"	42"	36"	P202-10-42	170.00	2.3
5/8"	54"	48"	P202-10-54	347.00	2.8
5/8"	66"	60"	P202-10-66	362.00	3.4
3/4"	14"	8"	P202-12-14	63.00	1.2
3/4"	18"	12"	P202-12-18	75.00	1.5
3/4"	22"	16"	P202-12-22	88.00	1.8
3/4"	42"	36"	P202-12-42	181.00	2.9
3/4"	54"	48"	P202-12-54	361.00	3.5
3/4"	66"	60"	P202-12-66	375.00	4.5
7/8"	14"	8"	P202-14-14	66.00	1.4
7/8"	18"	12"	P202-14-18	81.00	1.8
7/8"	22"	16"	P202-14-22	95.00	2.1
7/8"	42"	36"	P202-14-42	205.00	3.7
7/8"	54"	48"	P202-14-54	392.00	4.6
7/8"	66"	60"	P202-14-66	407.00	5.6
1"	14"	8"	P202-16-14	73.00	1.7
1"	18"	12"	P202-16-18	88.00	2.2
1"	22"	16"	P202-16-22	109.00	2.6
1"	42"	36"	P202-16-42	242.00	4.6
1"	54"	48"	P202-16-54	441.00	5.8
1"	66"	60"	P202-16-66	456.00	6.7
1 1/8"	14"	8"	P202-18-14	91.00	1.9
1 1/8"	22"	16"	P202-18-22	112.00	3.1
1 1/8"	42"	36"	P202-18-42	314.00	5.4
1 1/8"	54"	48"	P202-18-54	537.00	6.6
1 1/8"	66"	60"	P202-18-66	550.00	8.0
1 1/4"	14"	8"	P202-20-14	105.00	2.3
1 1/4"	22"	16"	P202-20-22	130.00	3.6
1 1/4"	42"	36"	P202-20-42	326.00	6.4
1 1/4"	54"	48"	P202-20-54	552.00	8.1
1 1/4"	66"	60"	P202-20-66	565.00	9.8
1 3/8"	22"	16"	P202-22-22	152.00	4.1
1 3/8"	42"	36"	P202-22-42	393.00	7.6
1 3/8"	54"	48"	P202-22-54	640.00	9.2
1 3/8"	66"	60"	P202-22-66	654.00	11.1
1 1/2"	14"	8"	P202-24-14	124.00	2.9
1 1/2"	22"	16"	P202-24-22	177.00	4.8
1 1/2"	42"	36"	P202-24-42	423.00	8.9
1 1/2"	54"	48"	P202-24-54	678.00	10.8
1 1/2"	66"	60"	P202-24-66	692.00	13.1

* Bulk quantities not available from immediate stock... may be special-ordered.

To order bulk, use prefix "B" before part number. Example: **B202-8-14**

'A' AND 'B' TAPER HAMMER BITS & ADAPTORS

ADAPTORS

	PART NO.	LIST PRICE	WT. (lbs)
SDS+ 			
AEG ® PH210, PHE 16RL, 19RL, 26 PHE 24; B & D ® 5013-16, 5043-57; BOSCH ® 11207, 10-13, 11215, 11221-22, 24, 25, 28; DEWALT DW514, 556, 557; HILTI ® 1, 5, 10, 12, 14, 15, 17, 18, 22, 24; HITACHI ® VA16, DH15-18-22-24-25; KANGO ® 200, 285, 327, 422, 426, 439D; MAKITA ® HR 1821, 2511; METABO ® 6010, 11, 15, 18 / 6020, 21, 24, 26, 28; MILWAUKEE ® 5362-69, 5303, 5320, 5324; PHILLIPS ® 555, 715; PORTER CABLE ® 639; RAMSET ® 425; RYOBI ® ED-211; SKIL ® 1740	207A 207B	\$ 34.00 40.00	0.5 0.6
SPLINE 			
AEG ® PH350, 240, 38 & PHD 26, 38; B & D ® 5041-45, 5059, 5093 / 95 / 96 / 98; BOSCH ® 11202, 03, 05, 09, 14, 19, 20; DEWALT DW530, 533; HITACHI ® DH25, DH38, DH50; KANGO ® 950S, 637S, 501S, 430S, 728S, 750S; MAKITA ® HR 3851; METABO ® RH-32, 33 RH-66, RH-99, 1129, 6030; MILWAUKEE ® 5311-12, 16-17 / 5334 / 5341-44, 47-48; MILWAUKEE ® 5352, 53; PHILLIPS ® 747-2; RAMSET ® 442, 445, 475; RYOBI ® ED 382P, ER382; WACKER ® 11/110	202A 202B	\$ 38.00 45.00	1.2 1.2
SDS MAX 			
B & D ® 5097, 5099; DEWALT 545; HILTI ® TE 52, 54, 55, 60, 72, 74, 75, 92, 94; BOSCH ® 11216, 11214, 11223, 11227, 11230, 11231, 11309, 11, 12 (Percussion only); MILWAUKEE ® 5308, 5313	MX-A MX-B	\$ 48.00 53.00	0.9 1.2
1/2" X 1 HEX 			
SKIL ® 717, 1750	SK17A	\$ 54.00	0.7
7/16" X 1 3/16 HEX 			
AEG ® BH 25	25A	\$ 52.00	0.9
9/16" X 1 1/4 HEX 			
BOSCH ® 11201; METABO ® RH90; PHILLIPS ® 747, 700	201A 201B	\$ 49.00 55.00	0.8 0.9
3/8" X 1 1/4 HEX 			
B & D ® 5040-09; RAMSET ® 620; ROCKWELL ® 600, 601, 1600; SKIL ® 706-07-08, 1706	706A	\$ 49.00	0.7
7/16" X 1 3/8 HEX 			
MILWAUKEE ® 5300-05-10-15; SKIL ® 726	726A 726B	\$ 49.00 56.00	0.8 0.9
3/4" X 3 1/4 HEX 			
SKIL ® 736	736B	\$ 81.00	1.9
HILTI HEX 			
HILTI TORNA ® 765	H65B	\$ 81.00	1.0
9/16" X 2 3/8 HEX 			
B & D ® 5048; MILLER FALLS ® SP499K; MILWAUKEE ® 5325-26; PORTER CABLE ® 1602; ROCKWELL ® 602; SKIL ® 628, 728, 731, 732, 1760	728A 728B	\$ 49.00 56.00	1.1 0.9
7/16" X 1 15/16 HEX 			
B & D ® 717, 5045-50	717A	\$ 49.00	0.9
KANGO HEX 			
KANGO ® 950	950B	\$ 56.00	1.4
TRIPLE T 			
RAMSET ® 640, 340, 342, 345, 375	64A 64B	\$ 49.00 55.00	1.1 1.1
3/4" X 3 1/2 HEX 			
WACKER ® EHB 10/110	110B	\$ 61.00	1.6
PNEUMATIC 			
CHICAGO PNEUMATIC ® CP9R	CP-9A CP-9B	\$ 54.00 58.00	1.1 1.1

'A' TAPER HAMMER BITS

POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)
3/16"	4 1/4"	1 3/4"	A-3-4	\$11.00	0.1
3/16"	6 1/2"	4"	A-3-6	12.00	0.1
1/4"	4 3/4"	2"	A-4-4	12.00	0.1
1/4"	6 1/2"	4"	A-4-6	13.00	0.1
1/4"	8 3/4"	6"	A-4-8	16.00	0.2
1/4"	12 3/4"	10"	A-4-12	27.00	0.3
5/16"	5 1/4"	2 3/4"	A-5-5	15.00	0.1
5/16"	6 3/4"	4"	A-5-6	16.00	0.2
3/8"	6"	3 1/2"	A-6-6	14.00	0.3
3/8"	8 3/4"	6"	A-6-8	17.00	0.3
3/8"	11 3/4"	9"	A-6-11	19.00	0.4
3/8"	14 3/4"	12"	A-6-14	26.00	0.4
3/8"	20"	18"	A-6-20	33.00	0.6
7/16"	8 1/2"	6"	A-7-8	27.00	0.3
1/2"	6"	3 1/2"	A-8-6	18.00	0.3
1/2"	9"	6 1/2"	A-8-9	21.00	0.3
1/2"	11 1/4"	9"	A-8-11	25.00	0.4
1/2"	14 1/2"	12"	A-8-14	32.00	0.6
9/16"	9"	6 1/2"	A-9-9	26.00	0.4
5/8"	9"	6 1/2"	A-10-9	29.00	0.5
5/8"	12"	9"	A-10-12	34.00	0.6
5/8"	15"	12"	A-10-15	39.00	0.8
11/16"	9"	6 1/2"	A-11-9	34.00	0.6
3/4"	9"	6 1/2"	A-12-9	36.00	0.6
3/4"	15"	12"	A-12-15	54.00	1.0
27/32"	9"	6 1/2"	A-13A-9	62.00	0.8
7/8"	9"	6 1/2"	A-14-9	63.00	0.9
7/8"	19"	16"	A-14-19	87.00	1.7

Bulk: call factory for availability.

'B' TAPER HAMMER BITS


POINT DIA.	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)
1/2"	9"	6"	B-8-9	\$ 37.00	0.4
1/2"	19"	16"	B-8-19	39.00	0.8
9/16"	9"	6"	B-9-9	41.00	0.4
9/16"	19"	16"	B-9-19	50.00	0.9
5/8"	9"	6"	B-10-9	41.00	0.6
5/8"	19"	16"	B-10-19	66.00	1.0
11/16"	9"	6"	B-11-9	61.00	0.6
3/4"	9"	6"	B-12-9	50.00	0.7
3/4"	19"	16"	B-12-19	74.00	1.4
7/8"	9"	6"	B-14-9	76.00	0.9
1"	9"	6"	B-16-9	89.00	1.1
1"	19"	16"	B-16-19	101.00	2.1



Drift Key

PART NO.	TO FIT	LIST PRICE	WT. (lbs)
DK-1	Both A and B Taper Adaptors	\$ 4.00	0.1

FORGED HAMMER TOOLS



SCALING CHISELS

Use for:

- removing scale, rust and concrete spatter



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
SPLINE	12" OAL X 2"	SC-12S	\$38.00	1.6
	18" OAL X 2"	SC-18S	42.00	2.4
SDS-max	12" OAL X 2"	SC-12MX	41.00	1.6
	12" OAL x 3"	SC-312MX	52.00	2.5
	18" OAL X 2"	SC-18MX	46.00	2.4
SDS+	10" OAL X 1 1/2"	SC-12DS	38.00	.8
3/4" Hex	12" OAL X 2"	SC-12HX	37.00	1.6
	12" OAL X 3"	SC-312HX	40.00	2.5

COLD CHISELS

Use for:

- edging, chipping and channeling concrete, masonry or brick



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
SPLINE	12" OAL X 1"	CC-12S	\$21.00	1.4
	18" OAL X 1"	CC-18S	29.00	2.3
SDS-max	12" OAL X 1"	CC-12MX	27.00	1.4
	18" OAL X 1"	CC-18MX	32.00	2.3
SDS+	10" OAL X 3/4"	CC-12DS	28.00	.8
3/4" Hex	12" OAL X 1"	CC-12HX	20.00	1.4
	18" OAL X 1"	CC-18HX	26.00	2.3

BULL POINTS or MOIL POINTS

Use for:

- breaking up concrete, brick, asphalt, etc.
- light demolition applications
- starting holes in concrete slabs



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
SPLINE	12" OAL	BP-12S	\$21.00	1.4
	18" OAL	BP-18S	29.00	2.3
SDS-max	12" OAL	BP-12MX	25.00	1.4
	18" OAL	BP-18MX	30.00	2.3
SDS+	10" OAL	BP-12DS	28.00	.8
3/4" Hex	12" OAL	BP-12HX	20.00	1.4
	18" OAL	BP-18HX	26.00	2.3

BUSHING TOOLS

Use for:

- roughing concrete surface prior to applying a surface finish
- concrete surface removal to produce a rough exterior finish



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
SPLINE	1 pc Bushing Tool	BT-16S	\$100.00	2.6
SDS-max	1 pc Bushing Tool	BT-16MX	104.00	2.6
3/4" Hex	1 pc Bushing Tool	BT-16HX	100.00	2.6
	16 Pt. Bushing Head	BH-16	42.00	1.1
SPLINE	Bushing Head Shk	BS-8S	23.00	1.0
SDS-max	Bushing Head Shk	BS-8MX	27.00	1.0
3/4" Hex	Bush Shank	BS-8HX	23.00	1.0

SLOTING CHISELS

Use for:

- slotting in concrete and masonry
- breaking web between predrilled holes in concrete to make large opening



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
SPLINE	12" OAL X 1 1/8"	CR-12S	\$42.00	1.3
SDS-max	12" OAL X 1 1/8"	CR-12MX	47.00	1.3

CARBIDE BUSHING TOOLS

SPLINE	1 pc Bushing Tool	BT-25CS*	\$300.00	3.0
SDS-max	1 pc Bushing Tool	BT-25CMX*	305.00	3.0
3/4" Hex	1 pc Bushing Tool	BT-25CHX*	300.00	3.0

* Carbide Bushing Tools have 25 carbide points



MORTAR CHISELS

Use for:

- cleaning out old mortar between bricks and masonry prior to tuck pointing or caulking
- cutting narrow channels



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
SPLINE	15" OAL X 1 1/8"	MC-15S	\$40.00	1.6
SDS-max	15" OAL X 1 1/8"	MC-15MX	46.00	1.6

CLAY SPADE

Use for:

- Digging clay, dirt, hard-packed gravel, shale, etc.



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
3/4" Hex	4 1/2" X 6" X 17"	CS-HX	\$102.00	4.2
SDS-max	4 1/4" X 5 1/4" X 15 1/2"	CS-MX	\$126.00	4.2

ASPHALT CUTTER

Use for:

- cutting asphalt or hard ground – not for concrete



Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
3/4" Hex	3 1/2" X 4 1/2" X 17"	AC-HX	\$137.00	4.3
SDS-max	4" X 4 1/2" X 15 1/2"	AC-MX	\$152.00	4.3

GROUND ROD DRIVERS

Use for:

- driving electrical grounding rods into earth




Fits These Hammers	Description	Part No.	List Price	Wt. (lbs)
SPLINE	for 5/8" - 3/4" rebar	DR-S	\$104.00	1.1
SDS-max	for 5/8" - 3/4" rebar	DR-MX	108.00	1.1
3/4" Hex	for 5/8" - 3/4" rebar	DR-HX	104.00	1.1

SOLID-BODY "HARD-HEAD" BITS

Relton's "Hard-Head" bits are designed to bore large holes through concrete without the need to break out the core every few inches.




Slide taper end of shank into the "Hard-Head" bit. A slight twisting motion will help keep the bit from falling off before beginning the cut. The pilot is integrated on the shank, so drilling can be accomplished without interruption! (Once used, shank and head become one-piece.)



Hard-Head

Head-only
1 1/8" thru 1 1/2"

DIAMETER	PART NO.	LIST PRICE	WEIGHT (lbs)
1 1/8"	SB-18	\$137.00	0.7
1 1/4"	SB-20	142.00	0.8
1 1/2"	SB-24	147.00	1.3



DRILLING DEPTH	FITS THESE HAMMERS	PART NO.	LIST PRICE	WEIGHT (lbs)
10"	SPLINE	S02-10S	\$ 48.00	1.8
	SDS-max	SMX-10S	58.00	1.7
	SDS+	S07-10S	48.00	0.9
18"	SPLINE	S02-18S	58.00	3.1
	SDS-max	SMX-18S	69.00	2.7
	SDS+	S07-18S	58.00	1.5
24"	SPLINE	S02-24S	69.00	3.9
	SDS-max	SMX-24S	79.00	3.6
	SDS+	S07-24S	69.00	1.9



Hard-Head

Head-only
1 3/4" thru 3"

DIAMETER	PART NO.	LIST PRICE	WEIGHT (lbs)
1 3/4"	SB-28	\$ 163.00	1.4
2"	SB-32	174.00	1.9
2 1/2"	SB-40	200.00	3.4
3"	SB-48	226.00	5.4



DRILLING DEPTH	FITS THESE HAMMERS	PART NO.	LIST PRICE	WEIGHT (lbs)
10"	SPLINE	S02-10	\$ 53.00	2.4
	SDS-max	SMX-10	63.00	2.4
18"	SPLINE	S02-18	63.00	3.8
	SDS-max	SMX-18	74.00	3.8
24"	SPLINE	S02-24	74.00	4.8
	SDS-max	SMX-24	84.00	4.8

IMPORTANT INFORMATION

Once Relton's "Hard-Head" bits have been used, the tapered shank cannot be removed by conventional means. For shank removal, return to Relton Corporation.



DIAMETER		OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)	BULK	
POINT	SHANK						QTY	WT.
1/4"	1/4"	18"	16"	BH-4-18	\$18.00	0.4	25	10
3/8"	3/8"	18"	16"	BH-6-18	20.00	0.6		15

BELL HANGER BITS are available for all wiring jobs where masonry is encountered. Bit has a hole in the flute for pulling wires. For all cable TV, telephone, electrical and small-wire installers.

ROTARY-ONLY MULTIPLE-CUTTER BITS

NON-REMOVABLE-SHANK, MULTIPLE CUTTER BITS

CONCRETE-TERMITE®, SOLID BODY STYLE



DIAMETER POINT	DIAMETER SHANK	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)	RECOMMENDED RPM
3/16"	3/16"	4"	2 3/16"	TD-3-4	\$ 9.00	0.1	550-900
1/4"	1/4"	5"	3"	TD-4-5	17.00	0.1	550-900
5/16"	1/4"	5"	3"	TD-5-5	19.00	0.1	550-900
3/8"	5/16"	5"	3"	TD-6-5	23.00	0.1	550-900
3/8"	5/16"	8"	6"	TD-6-8	30.00	0.3	550-900
7/16"	5/16"	5"	3"	TD-7-5	33.00	0.3	550-900
1/2"	3/8"	8"	5"	TD-8-8	34.00	0.4	450-750
1/2"	3/8"	18"	14 1/2"	TD-8-18	41.00	0.8	450-750
9/16"	3/8"	8"	4 1/2"	TD-9-8	41.00	0.4	450-750

CONCRETE-TERMITE, CORE STYLE



DIAMETER POINT	DIAMETER SHANK	OVERALL LENGTH	DRILLING DEPTH	PART NO.	LIST PRICE	WT. (lbs)	SUGGESTED RPM
5/8"	1/2"	8"	4 1/2"	TD-10-8	\$ 42.00	0.5	450-750
3/4"	1/2"	8"	4 1/2"	TD-12-8	52.00	0.6	450-750

E-Z STARTER POINTS for TD CORE BITS



Used to help keep the core bit from "skipping" across the masonry when first contact is made. The E-Z in-and-out design is quick and simple to use.

PART NO.	WILL FIT THESE CORE BIT DIAMETERS	LIST PRICE	WT. (lbs)
SP-10	5/8"	\$ 14.00	0.1
SP-12	3/4"	14.00	0.1
SP-14	7/8"	15.00	0.1
SP-16	1"	16.00	0.1
SP-18	1 1/8"	17.00	0.1
SP-20	1 1/4"	20.00	0.2
SP-22	1 3/8" thru 1 5/8"	21.00	0.2
SP-28	1 3/4" thru 2 1/4"	26.00	0.2
SP-40	2 1/2" thru 3"	44.00	0.6

REMOVABLE-SHANK CORE BITS



CORE BODY - 4 1/2" OAL, 3 1/2" Core Depth

DIAMETER	TD CORE BIT COMPLETE - 9" OAL			TD CORE BIT HEAD ONLY			SUGG. RPM	SHANKS FOR TD CORE BITS HEAD ONLY PART NO.	SHANK DIA.	TO MAKE OVERALL BIT LENGTH	LIST PRICE	WT. (lbs)	THREAD SIZE	
	PART NO.	LIST PRICE	WT. (lbs)	PART NO.	LIST PRICE	WT. (lbs)								
7/8"	TD-14-9	\$69.00	0.8	TD-14HO	\$ 58.00	0.4	350-750	TDS-2-9 (Supplied w/ complete bit)	1/2"	9"	\$11.00	0.4	1/2 - 13	
1"	TD-16-9	76.00	0.9	TD-16HO	66.00	0.5	350-750							
1 1/8"	TD-18-9	82.00	1.1	TD-18HO	72.00	0.7	350-750							
1 1/4"	TD-20-9	91.00	1.1	TD-20HO	80.00	0.7	350-750							
1 3/8"	TD-22-9	97.00	1.3	TD-22HO	87.00	0.9	350-750							
1 1/2"	TD-24-9	103.00	1.4	TD-24HO	93.00	1.0	350-750							
1 5/8"	TD-26-9	111.00	1.4	TD-26HO	100.00	1.0	350-750							
1 3/4"	TD-28-9	118.00	1.6	TD-28HO	108.00	1.2	350-750	TDS-2-12 TDS-2-18 TDS-2-24	1/2"	12"	13.00	0.5		
2"	TD-32-9	131.00	2.2	TD-32HO	120.00	1.5	250-450		TDS-3-9 (Supplied w/ complete bit)	1/2"	9"	\$11.00	0.4	3/4 - 10
2 1/4"	TD-36-9	165.00	2.8	TD-36HO	155.00	2.1	250-450							
2 1/2"	TD-40-9	180.00	3.1	TD-40HO	170.00	2.4	250-450							
3"	TD-48-9	228.00	3.7	TD-48HO	218.00	3.0	250-450							

DIAMOND DRILL RIG ADAPTORS



PART NO.	WILL FIT THESE RELTON PRODUCTS	THREAD SIZE	LIST PRICE	WT. (lbs)
1258	3/4" - 7/8" Hole Saws, 7/8" - 1 3/4" TD Core Bits & Rebar Eaters	1/2-13 to 5/8-11	\$ 12.00	0.3
3458	1" - 4" Hole Saws, 2" & up TD Core Bits & Rebar Eaters	3/4-10 to 5/8-11	12.00	0.4
34114	1" - 4" Hole Saws, 2" & up TD Core Bits & Rebar Eaters	3/4-10 to 1 1/4-7	18.00	0.4

Adapt our core bits, Rebar Eaters and hole saws for use on diamond drill rigs... May be used wet or dry cut.